

## **A WARNING**

Carefully read this instruction Booklet and the Consumer Information and Precautions Booklet completely before using the Virtual Boy System. Fatture to follow all treatments could result in injury and serious damage to your vision or hearing.

## **A WARNING**

This product MUST NOT be used by children under the age of seven (7) years.

Artificial stereo vision displays may not be sale for such children and may cause serious, permanent damage to their vision.

## **A WARNING**

**EPILEPSY AND SEIZURES** 

READ THIS NOTICE BEFORE YOU OR CHILD USE ANY VIDEO GAME
A very small portion of the population have a condition which may cause
them to experience epilaptic returns or have elementary loss of consciousness
when viewing certain kinds of fleshing lights or patterns that are commonly
present in our daily sovironment. These persons may experience soldures
white watching some kinds of television pictures or playing certain
video games. Players who have not had any previous soldures may
constitutes have an undetected epilaptic condition.

If you or envote in your family has experienced symptoms (inked to an aplieptic continue in g. a setzure or fees of awareness), immediately controll your physician before using any video games.

We recommend that parents observe fiseir children white they play video games. If you or your child experience only of the following symptoms: disziness, aftered vision, size of muscle twitching, involuntary movements, lose of awareness, disordentation, or convulsions, DISCONTINUS USE IMMEDIATELY and consult your physician.

## **A WARNING**

## REPETITIVE STRAIN AND INJURY

Some people may experience fatigue or discomfort after playing for a long time. Regardless of how you feel, you should ALWAYS take a 10 to 15 minute break every hour while playing. If your hands or arms become tired or uncomfortable while playing, stop and rest. If you continue to experience soreness or discomfort during or after play, listen to the signals your body is giving you. Stop playing and consult a doctor. Failure to do so could result in long term injury. If your hands, wrists or arms have been injured or strained in other activities, use of your system could aggravate the condition. Before playing, consult a doctor.

## Contents

Section 1	Introduction	page	4
	Components	page	5
Section 2	Setup	page	6
	Removing the Battery Box.	page	7
	Removing a Game Pak	page	11
Section 3	Adjustments	page	12
Section 4	Precautions and Maintenance	рдда	16
	Removing/Replacing the eyeshade	раде	18
Section 5	Troubleshooting	page	20
	Misasgamaci	page	22
Section 6	Warranty	page	23
	Consumer Parts List and Order Form		



This official seal is your assurance that Nintendo has reviewed this product and less it has not our standards for excellence in tworkmanship reliability and entertainment value. Almost look for this seal when buying games and accessories to ensure complete compatibility with your Nintendo product.

All finitioning products are licensed by each or use only with other subsequed products leveling the Oficial Nationia: Sees or Clusters\*

# Virtual Boy Instruction Booklet

Thank you for curchasing the Virtual Boy, the world's first three-dimensional interactive video game system featuring digital stereo sound and faritastic 3-D graphics. The Virtual Boy system includes the Virtual Boy display console and assessment, table stand, battery box and a unique dual grip controller.

## NEED HELP WITH PRODUCT, OPERATION OR MAINTENANCE QUESTIONS?



1. William. - Michight, Mon - Sat., 9ii. Ha.m. - 7:00p.m., Sun. Pacific Time (Times subject to change)

# About the Virtual Bay

The Virtual Boy is a unique video game system that can create a dramatic three-dimensional world by using a double screen, high resolution LED display. When looking into the Virtual Boy, the eyeshade helps block out distracting light and create a glare-tree display screen to immerse you in the 3-O environment. The table stand provides it stable, combinable support for holding the Virtual Boy during use. Digital stered speakers provide a build its sound source to enhance the game play experience.

Since the Virtual Boy is a new type of video gome display system, it is very important that you read through this entire trastruction Booklet and the separate Consumer Information and Precautions Booklet before use

Throughout this treatruction Booklet, you will see sections beginning with ACTE CAUTION, and WARNING. Each section has a different level of magning, as follows:

NOTE: Points out important information on using or maintaining your Virtual Boy.

## **A CAUTION**

Contions you about montreet use of the Virtual Boy State way result to (1) personal livery or [2] demage to the Virtual Boy or Virtual Boy acceptanting.

#### A WARNING


Warre you about incorrect use of the Virtual Boy true study must in service personal injury.

Make sure that you have read and understand the cautions and warnings in each section before attempting to use the Virtual Boy.

# **Virtual Boy Components**



## BOTTOM YIEW OF VIRTUAL BOY



Controller Plug



## Setup


For the Virtual Boy to work correctly, it must be setup and operated properly. Use the following setup and adjustment instructions FOR EACH DIFFERENT FURTHER party the Virtual Boy.

- Open the two legs of the stand until they click into place. Place the stand on a flat horizontal surface such as a table. The ends of the stand should be pointing away from you and the clamp release button should be facing toward you.
- Attach the Virtual Boy to the stand. Insert the mount on the bottom of the Virtual Boy into the back of the camp as shown. Rotate the Virtual Boy down and into the clamp until you hear a click.

Later when you want to remove the Virtual Boy from the same, press the clamp release button and rotate the Virtual Boy up and out.








Altach the battery box to title back of the controller.

**HOTE:** If the battery box is already attached go to Stop 4.

Hold the controller with one hand. Align the procyes on both sides of the battery box with the guides on the bottom of the controller as shown. Side the battery box all the way down.




# Removing the Battery Box


To remove the battery box for attaching the AC Adaptor accessory (not included, sold separately), hold the controller with one hand. Slide the bettery box in the direction of the cord, while holding the locking dip as illimen.




Lpoking Clyp









a install the patteries.

MOTE: If the batteries are already installed, go to Step 5.

**NOTE:** Check to make sure the power switch is off Always leave the power off when not in use.

Open the battery box by pressing on the top of the box and stiding the cover out. Rotate the cover up and toad the batteries as shown. Use 6, size AA figure as:

Clase the cover, push down and slide back into place

# A CAUTION BATTERY HAZARDS AND PRECAUTIONS

MOTEUT CHE MAY CAUSE THE SATTERIES TO MAKE POPPING SOUNDS AND LEAR BATTERY ACID HESULTING IS PEUBONAL INJURY AND DAMAGE TO YOUR VEILUM INTY OR ACCESSORY IF BATTERY LEAKAGE OCCURS. THOROUGHLY WASH THE APTICTED SKIN AND CLOTHES KEEP BATTERY ACID AWAY FROM YOUR EYESAND MOUTH CONTACT THE BATTERY MANUCACTURER FOR FURTHER

- Oo not me, used and now batteries (replace as butteres at the same (une)
- Do not man ballery types (do not mix alkalina and carbon and balleries or mix dillarant brands of Excessor.
- To not put the batteries in backwards (positive (\*) and negative (-) and must face the project direction)
- 4. Do notifically used balteries in the battery box. When the bearins are leaving their charge, the ignormality will become with the tripping promptly replace at used batteries with new bulliance.
- Oo not leave bufferes in the ballery box or accessing for long paneds of non-use.
- Contribute the power switch on after the batteries have lost their Sharge. When you finish using the Virtual Buy, aways saids the power switch off.
- Do not depose of batteries in a fire. Do not recharge the batteries.
- Do not use nicket andmuni patterns.

Instruction Booklet


- Connect the controller plug, with the Wintendo togofacing toward you, firmly into the bottom of the Virtual. Boy as shown. Maker sure you hold the Virtual Boy. with one hand while inserting the plug in with the other
- 🖪 Remove the Game Past pover:

## A WARNING CHOKE HAZARO - SMALL PARTS

NOT FOR I HILLIAMA INDER THE AGE OF Bablas and young INIT The Books on the Wythall Boy Game MRC vir 2009 to mento 200 mm out of


toron in our management of

NOTE: Too should store the Game Pak cower on last lwo posts on log of the Virtual Boy, next to the eyesthade. while you are playing the game. To protect the Game Pair from dust or dirt. shways remember to second see cover on the Game Pak after use






Foundative Guerran Park County









Load a Virtual Boy Game Pak Into the bottom, back. of the Victual Boy as shown

#### **▲ CAUTION**

Abon a make sure that the Pawer switch is off and that you have chacked the Game Pak edge connector to-"your outleral before attempting to lond a Game Pak. rep the Vesige Boy.

Hold only the Virtual Boy with one hand and slide the Game Pak with the tabel facing up, straight into the Victual Boy until it stops

## A CAUTION

Always table that Cause Pak straight into the Virtual Boy. Co not lead the Game Pak upaide down or otherwise force the Game Pak evio the Virtual Boy Do not attempt to use Game Box, or any other type of France Paks.

Load only fersional authorized and authoritie Virtual Boy Game Pake Non-knowed or republished games may cause tryp strain namen, h. dachos, "Allgue

Press your face into the eyeshade and adjust the a rece of the Victoria Boy by lacendaria (counterclockwise) the kings on the top, right aids of the stand. When you find a combetable position, better telectionsa) the knob to hold the Virtual Boy in place. Do not over highlian the knot.

If the Virtual Boy seems too low or high, you should adjust your position or the surface the Virtual Boy is resting on.

## A WARRING

It is important that you properly adjust the angle and height of the Virtual Boy before each use. Fallure to do so may result in eye, hand, or neck strain or other discomfort resulting in liquides.



# Reneving a Game Puk

Slide the power switch on the controller to the off position.

NOTE: Always slide the power switch to the oil position before leading or removing a Game Pair. Leave the power switch oil when the Virtual Boy is not in use.

- Hold the Virtual Boy with one hand and grab the end of the Game Pak with the other. Put the Game Pak straight out.
- Roplace the cover on the Gama Pak.



## Adjustments

Make sure you have set up the Vinust Boy and loaded a Game Pak as instructed in Section 2 before beginning to make the final adjustments and start game play

Atahe the following adjustments each time you use the Virtual Boy Each new user must readjust the Virtual Boy before beginning game play. Failure to make those adjustments may provent you from seeing the three transport effects.

 Turn the Virtual Boy on by sliding the power switch unline controller to the ON position. When the power is Off, the previous to the power switch will turn red


MOTE: With normal use, the Virtual Boy will operate about 7 hours on a set of batteries. To maximize the life of the baseries, turn the power off when the Virtual Boy is not in use.


## A CAUTION

On not plug or unply. The controller or remove the british box white the power of CN. This stopy cause a game making the or cause returnation shared in game memory to fact.

Press your two family against the cytishade and look into the Virtual Boy display with both eyes open. The Virtual Boy may not be adjusted properly if your face is not against the eyeshade.







## **m** CAUTION

Control of the second of the s


(a) White holding the Vinual Boy with one were sejust the Mill diglion top of the Vinual Boy with the other hand. The Mill (Inter-Pup) distribute exactles the distance between the two characteristics inside the Virtual Boy to the distance between your eyes. This is the section retreatment you make when using binoculars

Tuning IPD disturbly you can not a box the more in all followners of the screen, as strown

**NOTE:** Not averyone will be when to see all four marks on the screen. If you can not see all four marks, by to idjust the mage on the enemand to as close to the one show as possible. You may see only three marks on four slightly blurred marks.

Continue to hold onto the Virtual Boy with one hand with the FOCUS slider with the other hand. Skeep the FOCUS sweet to the CENTER POSITION as marked on the housing. For most people, sweether position should give you the second stage. The limite is will fuzzy, then adjust the focus sider right or left until the image is sharp and dear

# A WARNING Third Court Medical Court of the court of the





Florida Salatan



Aftermising metPD and PDCUS adjustments press the start button on the controller to bring up the automatic pause to GN. This will council a jump to pause to GN. This will council a jump to pause after about 30 minutes of pameigray. When the jame pauses, take a break and give your eyes some rest. To resume game page pages than

If a new player is beginning game play in the middle of a game. Graf press later to press the game. Then, the new player MUST readjust the IPO and FOCUS settings below returning to game play. See detailed instructions on page 12.

#### **▲ CAUTION**

Their frequent breaks of so paying.

Refer to this Game Pair Instruction Booklet for information we selecting and starting 199 game, game, paying play instructions and options.


## A CAUTION:

other more vehicle

After scarting the gattle, edges the volume by moving the clut on the bostom, left side of the Virtual Boy. You can also enjoy the game sounds by plugging steron headphones rest the jack marked PHDNES on the secont of the Virtual Boy. Use only with the Virtual Boy stereo headphones model no. 32621.

# A WARNING FAILURE TO FOLLOW THESE INSTRUCTIONS CAN RESULT IN PERMANENT HEARING LOGS.

If it important that was set the volume to a sale and comfortable lower. Higher tensile can defrage your hearing. Sound tensile can toof you. Over time, your hearing actable to trigher volumes that can train your hearing. To set it windown and high begin by adjusting the volume and because a low level. Then you during the volume are in a bound is gleet and you can hear in



To enjoy the maximum 3-D expandrate from Virtual Boy. make sure you have made all of the necessary. adjustments and that you are in a comfortable possion. each time you begin to play. If may be necessary to move your head slightly so that you can see the whole screen insige clearly.

If after following all of the setup and adjustment mstructions, you are still not able to see a view 3-0 image. during game play or have any other questions about sesting up the Virtual Boy call the Consumer Assistance. Hollins at 1-800-255-1700

NOTE: A small percentage of people may not imperience the full 3-D image.





## Protections/Maintenance

## HARDWARE

- Do not disassemble or try to repair the Virtual Boy or any components. Doing so voids your warranty
- 2 Always place the Vidual Boy on a stable surface.
- Always held and carry the Virtual Boy housing riself.
  Never try to carry the Virtual Boy by using the stand.
- Always hold the Virtual Boy with one hand white making any adjustments or connections, to keep the Virtual Boy from talling over
- 5 The screen may be damaged by sharp objects of impacts. Take great care to protect the lanses from sciolable.
- 6 Do not store the Virtual Boy in a humid place, on the foot, or in any location where it may collect dust det, int. etc.
- 7 Do not expose the Virtuin Boy, Game Pake, or any of the Virtual Boy components to extreme heat or 58%. On not expose the Virtual Boy to direct sublight for extended periods of time.
- Do not spill toulds on the Virtual Boy, Game Paks, or any Virtual Boy components. To clean, use a soft, slightly damp (use water only) cloth. Allow the component to dry completely before using again.
- To avoid dirt or dust from getting into the Virtual Boy, always leave a Game Pak loaded (with the power of) when not in use. Slore the Game Pak cover on the holder.
- Keep food and figures away from your Virtual Boy. and Virtual Boy components
- 11. When a stormeding any plugs from the Virtual Boy first side of the cower. Their parellety pull by the pagetised rather than by the cord. Do not stop on sharph protections any wires or cables.
- 12 De not rapidly ruro the power wortch (in and off lag this may another the rie of the batteries and cause cartery traumed up Game Paks to rose your stored game information.
- 13. So not remove the pattery box when the power is on. Operate touch the motal contacts of the battery pear.

- 14 Always furn the gover switch of before loading or removing a Game Pak. Insert the Game Pak straight in without known either the Game Pay or Victual Boy. Logdinnly Virtual Boy Game Paks in the Virtual Boy.
- 15. Connect only Nintendo Authorized accessories designed for use with the Virtual Boy.
- 18. Remove and clean the eyeshade when it bucomes dirty, USING THE INSTRUCTIONS on page 18-16. every the risk of tearing righter pivil on the spenge oveshode.
- 17. Use only with the Virtual Boy stereo headphones. model no 32821.

## GAME PAK

- 1. The Same Pak is a high precision piece of electionics. Do not store it in places that are very hat or cold. Do not hit, drop or otherwise abute it Do not take it apport.
- 2. Do not touch or blow on the Game Pak edge connector or nillow it to get wat or dirty.
- Do not clean with benzone, paint thinner, picohol or any atter servent.
- 4. Always store the Gamo Pak in its protective coverwhen not in use.
- 5. Always check the Game Pak edge connector for foreign material before loading the Game Pak into The Virtual Boy



# Bemoving/Replacing the Eyeshade


The eyeshade may got seemed or become dirty through sound use. When a procure personnel to close an exercise the personnel use the following instructions.


- Make such the power switch in OFF and the controller and any other accessations are unplugged from the Virtual Boy. Remove the Virtual Boy from the stand and place it on a flat surface.
- Terrore the eyestade from the Virtual Boy by pulling gently on one of the two plustic tabs of either side of the eyestade holder as shown. Made sure you put on the plastic cyustade holder only and not on the sponge eyestade fisal!



Many of the second of the seco

eyeshade holder by gontly putling the eyeshade off the 5-1 small posts as shown





 Clean the eyeshade with a mid-soap or dish-washing liquid. Wash the surfaces gently, then nose with water.


Ley the systhade flat on a towel and fold the towel over. Press gonlly on the towel to squeeze any excess water out of the cycshade. Place the eyeshade on a flat surface and slow it to sir dry.


## **A CAUTION**

Do not put the eyeshade into the washer is dryer or allow to dry in the sun as eas may deferm or tear the eyeshade. Do not lost or same two eyeshade when aqueozing the water out.

- Replace the clean dry (or new) eyeshade onto the ayashade helder with the numbered side of the holder facing you as shown. Martin the holde on the inside surface of the cyushade (the side with the numbers on it) with the posts around the holder. Start with it and work around the eyeshade gently placing the holder over the six posts.
- Resisted the eyeshade and holder back onto the Virtuel Boy. Fit the upper part of the eyeshade rule the reentep of the Virtuel Boy its shown.

Plotate the eyeshede into the front of the Virtual Bby and press on the eyeshade holder until you hear a click. Press on both sides of the eyeshade holder, near the tabs, to make sure the eyeshade is firmly in place.





## Trealderhooting

Before seeking repair services, check the problem against the list below



There is no image on the screen.

#### Solution:

- Make safe the patterns are now and are traded in the battery box property
- Make the Sattery Courte AC Adaptor and Tap is attracted to the Controllor properly (see page 7).
- Make one the AC Adaptor is plugged into a walloutest.
- Make somethe controller is firmly plugged into the Vidual Boy
- Make a set the payers switch (on the controller) is set to two ON position.
- Make sale the Garde Park is proporty landed.

#### Problem:

There is an image on the screen, but the picture is scrambled.

#### Solution:

- Turn of the power was nifew moments, then term the proves on
- Turn of the power remove the Game Pak and check the connector for foreign material, reload the Game Pak, and turn the power on


## Problem.

Think is in import on the screen, the life Image is not clear or not in 3-D.

#### Solution:

- Make sure your face is firmly pressed against the repealable and that your have both eyes open.
- Readjustine IPD and FOCUS settings issee page 13;
- Try a different Game Pak







#### Problem:

There all good Image as the second, but there is no sound.

## Solution:

- Make sure the volume drains relationship coordy
- Remaye any heartphrones you have progred-into the Virtual Boy
- Onlisome games, the soundinary begin only after the START butter is present and you are playing the same

## Problem:

You led tired, dizzy, necessated or your syste hurt white playing games on the second Boy.

#### Solution

- Make sure the Virtual Boy is set up patiently and You are primitioned frombudgity.
- Stop playing The Irequent timula, while playing
- Rendjust his titll and FOCUS antimes Hop papped To
- Use the alignment check sorders to see it his Virtual SSES is out of alignment (see page 22)

If you are still unable to notive the problem, please cell the Consumer Assistance William et: 1-800-255-3700.



Right Side of Controller





# Missignment

it is possible that the Virtual Boy may come out of augment of the Virtual Boy is dropped of the Virtual Boy is dropped or in a have difficulty seeing the screen for Eugeries in Courses. If sund vision is discretes then the Virtual Boy may be out of alignment. To obtain the augment of year can form on a special alignment chack screen.

Reform or the digners of choick screen lend any Game. Paking dish is the game title is on the screen proof the A. Bland is Control Pad buffers on the right aide of the costs and in the foregoing order.

while the Control Pad. B. Oliver A. Up.

Or creffer someon is displayed that away from the display from low meanwards. These suck into the screen and prose your factor of the expendence.

The Vistal Boy is aligned normally if the vertical and horizontal thes cross each other for an example, see the pumple screen at 95°

When and a signification and seem to said seems then the Visual Ben, may be out of alignment. Purpose discontinue use of the Victoria Boy and contact the Consultant Assistance Maline at 1,800,256,3700.

# **Warrenty and Service Information**

AMORDE LINES WARRAN TO PER HOUSE JULIE POR A SUPERCORP.

terrorings on Arbeiros (iv. ) Therefore is accounted to the congrue glace has been than the product than the product of the pr

ADDITIONAL BASINERS MITTING VIANDANTY PROTECTS OF

Epitoniji kartijina to the ingral partijina hat he lagitecop pratiat grad to bia files different estatula and economical, for an altitura Proceding to confide the major of a confidence of a

WARRANTY BERYICE OR REPARKS INVICE ASTER EXPIRATION OF WARRANTS

For they deed any ample instructions to borned any process will plus possible. Call the Dorgonius Associations Mostone at 1-800-256-3000 million than going any post tracks in the same of appropriate and 4 a.m. to Manager, the size Time, Manager, process, and file, in to 7-200, fig. do fine, an following three outputs to the call to the same appropriate across to a fine same as some the same as a file of the same as the file of the same as the same as a file of the same as the same

#### WARRING COMPACTORIS

THIS WANTEAUTY SHALL SHOT ARRY IN THIS PRODUCED IN THE SHALL WITH PRODUCTS HET BOT DONE LICENSEED BY MINITERED INC., DONE SHALL WITH LICENSEED SHALL PRODUCED SHALL PROVED

ANY APPLICABLE IMPLIED WARPANTIES, INCLUDING MARRANTES OF MERCHANTADILITY AND PUNISH HOW A PRINCIPLAR PURISHED ARE IN A PERFECT AND PUNISH HOW A PRINCIPLAR PURISHED ARE IN A PERFECT AND A POST DISCONSISTED AND A PRINCIPLAR PURISH DISCONSISTED AND A PRINCIPLAR DISCONSISTED AND A POST A PRINCIPLAR DISCONSISTED AND A PRINCIPLAR DISCONSIS

This wanted by group you specific larger highly and you, may under have other ingressionary from other bare in family represents a go partition on the bare makes of the makes.

This earngely is uplied any in the Linkest Stated.

## Consumer Ports List and Order Form

## VIRTUAL BOY PARTS LIST AND ORDER FORM



In clear to Proce (Federal NISA of \$457ERCARC) Colt. 1-800-255-3700, Rest. - Sat. - 420a.m. - 12 (0 evel. Sun in 168 m. 1700p.m., 201007 Time Press have your 2004.07 WASTEPCAPD care number and expinition determined.

Mintenda Pari Na	Part Name	Price Each	(DI):	Amount of Purchase
02583	Virtual Bay Instruction Booklet	No Charge		
12584	Consumer Information and Precautions Boottel	No Charge		
32574	Game Pak Cover	No Charge		
12404	AC Adapter (works with AC Adapter Tap)	15.95		
124(15	AC Adapter Tap (works with AC Adaptor)	4.95		
12676	Virtual Boy Controller	15.05		
XXX 1	Game Pisk Instruction Socklet "(please apecify)	2.00		
32515	Eyoshade	(8.163		
32936	A presidente Hudidate	1.00		1
32558	Barrery Box	-		
32627	Virtual Bay Stereo Headphenes	1-0		
32510	Etgent			
32573	Political Fast for Stand (2)	.50		
32525	Stand Clamp Assembly			
1,15,12	Stand Support	1.00		
32527	Stand (.mg (right)	7.50		1
32520	Stand Lag Salts	7.50		
32957	Virtual Boy Gamei, intel Cable	-		

4. Named parent made basis from the Series in LONGS prop. statistical by the sends: Schooled by mineral for all a me the place had an to jokujuji Provincija Seni DESCRIPTION OF THE PARTY.

Call for grace.

ID			

Washington State Residents add 5.2% Sales Sax

POSTAGE & HANGLING

TOTAL AMOUNT DUE

#### To Order by Men. Please complete me forcering.

3. Sterni	Nove L	
Street Achgress		
City	Signer	74
Excused Miney Code or Credit Card Authors Toxistically VISA is MASTERCARD. Please of		THE JUST GMASTERCARD
Care No.	Expression fore	
Frame in Card (Prot)	Signer	

<sup>3</sup> Mail to Notificial of America Inc., Prof. thay \$1000, Represent, WA 98010-Allow Liberton to Steam . We would acapt and sharps in \$1000 terms. Manuscring

## NEED HELF WITH INSTALLATION, MAINTENANCE, OR SERVICE? CALL 1-885-255-3788.



